

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,096	02/13/2004	Shigeki Nagaya	NIT-410	6669
	7590 10/05/200 ger & Malur, P.C.	EXAMINER		
1800 Diagonal Road, Suite 370			PATEL, JAYESH A	
Alexandria, VA	. 22314		ART UNIT	PAPER NUMBER
·,			2624	
		•		
			MAIL DATE	DELIVERY MODE
			10/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

<u> </u>						
•	Application No.	Applicant(s)				
Office Action Summers	10/777,096	NAGAYA ET AL.				
Office Action Summary	Examiner	Art Unit				
·	Jayesh A. Patel	2624				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 36(a). In no event, however, may a reply will apply and will expire SIX (6) MONTHS a cause the application to become ABANI	TION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14 A	<u>ugust 2007</u> .					
2a)⊠ This action is FINAL . 2b)□ This	This action is FINAL . 2b) This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 1	1, 453 O.G. 213.				
Disposition of Claims						
4) ⊠ Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-14 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 13 February 2004 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Example 11.	e: a) \boxtimes accepted or b) \square objustion of the drawing (s) be held in abeyance. Since the drawing (s) is the drawing (s) is \square	See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority document 2. ☐ Certified copies of the priority document 3. ☐ Copies of the certified copies of the prio application from the International Burea * See the attached detailed Office action for a list	s have been received. s have been received in Appl rity documents have been red u (PCT Rule 17.2(a)).	ication No ceived in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date		mary (PTO-413) lail Date mal Patent Application				

Art Unit: 2624

Response to Amendment

1. The applicant's amendments dated 08/14/2007 has been entered and made of Record.

2. In view of the applicant's amendments new grounds of rejections have been presented.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1 and 12 recites the limitation "the same ID" and "same image data" in (Line 13 Page 2 Claim 1) and (Line 7 Page 6 Claim 12). There is insufficient antecedent basis for this limitation in the claim. The Claim language is contradicting in the sense in Claims 1 and 12 the limitation "wherein each ID inserted into each of said image data is different from each other" at (Lines 5-6 Page 2 Claim 1) and (Lines 1-2 Page 6 Claim 12) and at (Line 13 Page 2 Claim 1) and (Line 7 Page 6 Claim 12) the limitation "the same ID" and "same image data" recites the ID are the same.

Art Unit: 2624

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4,8-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elberbaum (US 7171106) Hereafter Elberbaum in view of Chun (US 20030011678) hereafter Chun.

1. Regarding Claim 1, Elberbaum discloses an image data recording and reproducing system (Fig 1) comprising: an image data input unit (Elements 2a Cameras 1-n); an ID generator for generating an ID inserted into each of image data from said image data input unit (Fig 1 Element 3A and Col 6 Lines 30-33). wherein each ID inserted into each of said image data is different from each other (Col 2 Lines 38-39 and Col 6 Lines 30-33 where each video transmitters incorporate individually allotted identification code signal is different); a plurality of image data recorders (Fig 17 Element 30) coupled with said ID generator (Fig 17 ID generators 2 are coupled to pluralities of recorders 30 via recording receiver 10 and video input distributor 54). Elberbaum discloses wherein said ID and said image data recorders (Fig 17),

Art Unit: 2624

however is silent and does not disclose such that each of the plurality of image data recorders includes the same ID and same image data, and wherein each of said plurality of image data recorders has an ID table and an image data storage area, said image data being recorded in said image data storage area, and position information of said image data recorded in said image data storage area being stored in relation to said ID in said ID table; and a terminal unit for outputting said image data recorded into said plurality of image data recorders, wherein when said ID is input in said terminal unit, said image data is output from one of said plurality of image data recorders to said terminal unit in response to said ID.

Chun discloses such that each of the plurality of image data recorders (Page 2 Para 0023 where a pluralities of memories storing the image signals) includes the same ID (Page 5 Para 0062 multiple cameras are designated to a single sensor (same ID), Page 7 Para 0095 shows if the reference numeral 119 is selected then the images from cameras 1,3 and 4 are recorded) and same image data (Page 5 Para 0061 where the first and second cameras view the door in response to an alarm signal from the first alarm sensor and records the data sequentially), and wherein each of said plurality of image data recorders has an ID table (Page 6 Para 0086 window with the list offering record date, time, camera number, fps and the file name) and an image data storage area (recorded file in Para 0086), said image data being recorded in said image data storage area, and position information

Art Unit: 2624

Page 5

(Page 6 Para 0086 for example an image of a camera number 5 recorded ------- 14 seconds) of said image data recorded in said image data storage area being stored in relation to said ID in said ID table (window with the list in Para **0086)**; and a terminal unit (Fig 2 Element 54) for outputting said image data recorded into said plurality of image data recorders (Page 2 Para 0023 where a pluralities of memories storing the image signals), wherein when said ID is input in said terminal unit, said image data is output from one of said plurality of image data recorders to said terminal unit in response to said ID (Page 6 Para 0088 and Page 7 Para 0095 where the user wants to see the image of the camera and one key (ID) to display images from four cameras). Chun discloses that in the apparatus the rate of utility of resources will be increased in (Para 0126 Page 9). Both Elberbaum and Chun are from the same field of endeavor and are analogous art, therefore it would have been obvious for one of ordinary skill in the art at the time the invention was made to have used the teachings of Chun in the system of Elberbaum for the above reasons.

2. Regarding claim 2, Elberbaum and Chun disclose an image data recording and reproducing system according to Claim 1. Elberbaum further disclose comprising: a load balancer having a load factor table (Col 2 Lines 56-61,Col 4 Lines 45-53, Col 3 Lines 4-11 and Fig 17 video input distributor 54 distributes image data to pluralities of recorders 30), coupled with said plurality of image data recorders, for selecting one of said plurality of image data

Art Unit: 2624

Page 6

recorders on the basis of said load factor table to output said image data (Video output selector 56 for selecting the playback from the recorders 30).

Elberbaum further disclose (Fig 17,18 and Col 17 Lines 28-45 where in-out terminals for transmitting record or playback commands is pertaining to alarms particulars (load factor)). Chun also disclose load factor table in (Figs 12A and 12B) where depending on the movement (more or less) the image data are recorded.

- 3. Regarding claim 3, Elberbaum and Chun discloses an image data recording and reproducing system according to Claim 1. Elberbaum further disclose comprising: a sensor information input unit, and a data recording unit for recording sensor information from said sensor information input unit, wherein the ID from said ID generator is inserted to sensor information from said sensor information input unit so that said sensor information with the ID inserted is recorded into said data recording unit at (Col 3 Lines 12-18, Col 4 lines 45-67 and Col 5 Lines 1-18).
- 4. Regarding Claim 4, Elberbaum and Chun disclose an image data recording and reproducing system according to Claim 1. Elberbaum discloses the retrieval of the playback image based on the input identification (Col 3 Lines 12-18, Col 4 lines 45-67 and Col 5 Lines 1-18). Chun further disclose wherein said terminal unit includes an input terminal and wherein based on a retrieval from said input

Art Unit: 2624

terminal unit, said ID table of one of said image data recorders is referred to reproduce predetermined image data corresponding to an ID of said ID table at (Page 6 and page 7 Para 0086 and 0088).

- 5. Regarding claim 8, Elberbaum and Chun discloses an image data recording and reproducing system according to claim 1. Elberbaum further disclose comprising: an image data generation unit (Element 2A Fig 1), wherein said ID generator generating the ID (Element 3A Fig 1) inserted to image data from said image data generation unit is integrated with said image data generation unit (Col 2 Lines 38-39 and Col 3 Lines 53-57).
- **6.** Regarding Claim 9, Elberbaum and Chun discloses an image data recording and reproducing system according to Claim 3. Elberbaum further disclose wherein the ID inserted to image data from said image data input unit and the ID inserted to sensor information from said sensor information input unit are an ID from a shared ID generator at **(Col 3 Lines 60-67)**.
- 7. Regarding Claim 10, Elberbaum and Chun disclose an image data recording and reproducing system according to claim 1. Elberbaum further disclose wherein, said ID generator for comprising, an ID generation unit for generating a succession of IDs of successive integers at (Col 4 Lines 1-9).

Art Unit: 2624

Page 8

8. Regarding Claim 11, Elberbaum and Chun disclose an image data recording and reproducing system according to Claim 10. Elberbaum further disclose wherein said image data generation unit is a camera, and said ID generator is integrated with said camera in (**Fig 1 Elements 2**).

- Claim 12 is corresponding methods claim of claim 1. See the explanation of Claim 1.
- 10. Regarding Claim 13, Elberbaum and Chun disclose recording and reproducing method according to Claim 12. Elberbaum further disclose comprising the steps of: in the case of said command for a video replay, detecting the load factor of each of said plurality of image data recorders, and transferring said command for a video replay to one of said plurality of image data recorders based on the load factor of said plurality of image data recorders (Fig 17,18 and Col 17 Lines 28-45 where in-out terminals for transmitting record or playback commands is pertaining to alarms particulars (load factor)).
- 11. Regarding claim 14, Elberbaum and Chun disclose recording and reproducing method according to Claim 12. Chun further disclose comprising the steps of: obtaining sensor information related to said image data (Page 6 Para

0085), inserting said ID (alarm record file Id) to said detected sensor information, and recording sensor information with said ID into said image data recorders.

Claims 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Elberbaum in view of Chun and in further view of Ebata et al. (US 6292098) hereafter Ebata.

12. Regarding Claim 5, Elberbaum and Chun discloses an image data recording and reproducing system according to claim 1. Elberbaum also discloses generating an ID and matching the ID to get the output. Elberbaum is silent about the integer of bits (size) and however does not disclose wherein an integer of 40 bits or more is used for the ID outputted from said ID generator.

Ebata discloses the ID (message packets) having a data length of 256 bytes (2048 bits) for identifying the camera number list, monitor number list etc at (Col 16 Lines 52-59). Ebata also discloses that the camera numbers and the monitor numbers are based on the identification numbers pre assigned for each camera and the monitor at (Col 17 Lines 9-11). Ebata also discloses various other message packets (Identification codes) generating data lengths at (Col 15 Lines 11-16 and Col 16 Lines 1-67). Ebata also discloses that the method and system provides a more accurate, detailed and efficient communication by the nodes at (Col 22 lines 35-38). Elberbaum, Chun and Ebata are from the

Art Unit: 2624

same field of Endeavor, therefore it would have been obvious for one of ordinary skill in the art at the time the invention was made, to have use the data length (size) as taught by Ebata in the method and system of Elberbaum and Chun for the above reasons.

- **13.** Regarding Claim 6, see the explanation for Claim 5.
- **14.** Regarding Claim 7, see the explanation for Claim 5.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will

Art Unit: 2624

Page 11

the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jayesh A. Patel whose telephone number is 571-270-1227. The examiner can normally be reached on M-F 7.00am to 4.30 pm (5-4-9). If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jingge Wu can be reached on 571-272-7429. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jayesh Patel 10/01/07

SAMIR AHMED
PRIMARY EXAMINER